

	Application No.	lication No. Applicant(s)		
Notice of Allowability	10/695,810	CHANG ET AL.		
	Examiner	Art Unit		
	Hana A. Sanei	2879		
	nana A. Sanei	2019	-	
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate comm GHTS. This application is	in this application. If not included nunication will be mailed in due cours		
1. This communication is responsive to <u>an Amendment filed on 7/6/06</u> .				
2. The allowed claim(s) is/are <u>14-20</u> .				
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).				
a) ⊠ All b) ☐ Some* c) ☐ None of the:				
1. ☐ Certified copies of the priority documents have been received.				
2. Certified copies of the priority documents have been received in Application No				
3. Copies of the certified copies of the priority documents have been received in this national stage application from the				
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.				
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached				
1) hereto or 2) to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).				
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)				
1. Notice of References Cited (PTO-892)	<u>=</u>	nformal Patent Application (PTO-152)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		Summary (PTO-413), ./Mail Date		
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		Amendment/Comment		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛭 Examiner's	8. Examiner's Statement of Reasons for Allowance		
·	9. 🗌 Other			

Response to Amendment

The Amendment, filed on 7/6/06, has been entered and acknowledged by the Examiner.

Cancellation of claims 1-13 has been entered.

Claims 14-20 are pending in the instant application

Allowable Subject Matter

Claims 14-20 are allowed over the prior art of record.

The following is an examiner's statement of reasons for allowance:

The prior art of record discloses a method for manufacturing a flexible panel comprising (a) providing a first substrate having a plurality of functional switches or conducting lines thereon, (b) bonding a second substrate on the plurality of functional switches or conducting lines, (c) thinning the first substrate to a predetermined thickness, (d) adhering or sealing a removable substrate on the first substrate (e) removing the second substrate. However, the prior art of record neither shows nor suggests further (f) forming a plurality of light valves, light-emitters, or conducting layers on the plurality of functional switches or conducting lines, (g) removing the removable substrate from the first substrate, and (h) coating a flexible polymer on the surface of the plurality of light valves, light-emitters, or conducting layers and the first substrate.

Claims 15-20 are allowable because of their dependency status from claim 14.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 10/695,810

Art Unit: 2879

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hana A. Sanei whose telephone number is (571) 272-8654. The examiner can normally be reached on Monday- Friday, 9 am - 5 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nimeshkumar D. Patel can be reached on (571) 272-2457. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Examiner
Hana A. Sanei

Joseph Williams Primary Examiner